

## Prof. CENGİZ KAZAK

### Personal Information

Office Phone: [+90 322 338 6759](tel:+903223386759)

Office Phone: [+90 322 338 6369](tel:+903223386369)

Fax Phone: [+90 322 338 6369](tel:+903223386369)

Email: [ckazak@cu.edu.tr](mailto:ckazak@cu.edu.tr)

Web: <https://avesis.cu.edu.tr//ckazak>

### International Researcher IDs

ORCID: 0000-0002-2810-0244

Publons / Web Of Science ResearcherID: V-8770-2017

ScopusID: 6603326256

Yoksis Researcher ID: 2001

### Education Information

Doctorate, Cukurova University, Ziraat Fakültesi, Bitki Koruma, Turkey 1991 - 1996

Postgraduate, Cukurova University, Ziraat Fakültesi, Bitki Koruma, Turkey 1987 - 1991

Undergraduate, Cukurova University, Ziraat Fakültesi, Bitki Koruma, Turkey 1983 - 1987

### Dissertations

Doctorate, Avcı akar *Phytoseiulus persimilis* Athias-Henriot (Acarina: Phytoseiidae)?in Hatay Ekotipinin laboratuvar Koşullarında Biyolojik Özellikleri ile Doğa Koşullarında Populasyon Dalgalanması Üzerinde Araştırmalar , Cukurova University, Ziraat Fakültesi, Bitki Koruma, 1996

### Research Areas

Agricultural Sciences, Agriculture, Plant Protection, Entomology, Applied Entomology, Insect Ecology and Epidemiology, Pesticides and Environmental Pollution, Acarology

### Academic Titles / Tasks

Professor, Cukurova University, Ziraat Fakültesi, Bitki Koruma, 2008 - Continues

### Published journal articles indexed by SCI, SSCI, and AHCI

- I. **Two promising larval parasitoids, *Bracon (Habrobracon) didemie* and *Dolichogenidea appellator* (Hymenoptera: Braconidae) for biological control of *Tuta absoluta* (Meyrick) (Lepidoptera: Gelechiidae)**  
Karut K., Karaca M. M., Döker İ., Kazak C.  
EGYPTIAN JOURNAL OF BIOLOGICAL PEST CONTROL, vol.33, pp.1-7, 2023 (SCI-Expanded)
- II. **Description of *Typhloseiulus anatolicus* sp. nov. and redescription of two new records of**

**Phytoseiidae (Acari: Mesostigmata) from Turkey**

Döker İ., Joharchi O., Karut K., Kazak C.

ACAROLOGIA, vol.63, no.2, pp.553-568, 2023 (SCI-Expanded)

- III. **A new species of Typhlodromus (Typhlodromus) Scheuten (Acari: Phytoseiidae) from Turkey, with a key to the Turkish species of the subgenus**  
Döker İ., Kazak C., Karut K.  
SYSTEMATIC AND APPLIED ACAROLOGY, vol.28, no.2, pp.356-363, 2023 (SCI-Expanded)
- IV. **Foraging behaviors of Amblyseius swirskii Athias-Henriot and Euseius scutalis (Athias-Henriot) (Acari: Phytoseiidae) feed on the invasive pest, Eutetranychus orientalis (Klein) (Acari: Tetranychidae)**  
Yalcin K., Döker İ., Kazak C.  
EGYPTIAN JOURNAL OF BIOLOGICAL PEST CONTROL, vol.33, pp.1-8, 2023 (SCI-Expanded)
- V. **Efficacy of stored indigenous predatory mite Phytoseiulus persimilis against Tetranychus urticae red form on eggplant under greenhouse conditions**  
Karut K., Döker İ., Kazak C.  
SYSTEMATIC AND APPLIED ACAROLOGY, vol.27, no.6, pp.990-999, 2022 (SCI-Expanded)
- VI. **Impact of citrus species on the biological characteristics and life table parameters of Eutetranychus orientalis (Klein) (Acari: Tetranychidae)**  
Yalçın K., Döker İ., Kazak C.  
SYSTEMATIC AND APPLIED ACAROLOGY, vol.27, no.1, pp.107-117, 2022 (SCI-Expanded)
- VII. **Interactions among exotic and native phytoseiids (Acari: Phytoseiidae) affect biocontrol of two-spotted spider mite on papaya**  
Döker İ., Revynthi A., Kazak C., Carrillo D.  
Biological Control, vol.163, pp.1-8, 2021 (SCI-Expanded)
- VIII. **Functional and numerical responses of Iphiseius degenerans (Berlese) (Acari: Phytoseiidae) to different biological stages of Eutetranychus orientalis (Klein) (Acari: Tetranychidae)**  
Döker İ., Yalcin K., Karut K., Kazak C.  
SYSTEMATIC AND APPLIED ACAROLOGY, vol.26, no.8, pp.1415-1425, 2021 (SCI-Expanded)
- IX. **Resistance status and detoxification enzyme activity in ten populations of Panonychus citri (Acari: Tetranychidae) from Turkey**  
Döker İ., Kazak C., Ay R.  
Crop Protection, vol.141, pp.1-7, 2021 (SCI-Expanded)
- X. **Toxicity and risk assessment of acaricides on the predatory mite, Euseius scutalis (Athias-Henriot) (Acari: Phytoseiidae) under laboratory conditions**  
DÖKER İ., KAZAK C.  
CHEMOSPHERE, vol.261, 2020 (SCI-Expanded)
- XI. **Effect of cold storage on performance of Eretmocerus mundus, larval parasitoid of Bemisia tabaci in a conventional tomato growing greenhouse**  
KAZAK C., DÖKER İ., KARACA M. M., KARUT K.  
CROP PROTECTION, vol.137, 2020 (SCI-Expanded)
- XII. **The genus Amblyseius Berlese (Acari: Phytoseiidae) in Turkey with discussion on the identity of Amblyseius meridionalis**  
DÖKER İ., KAZAK C., KARUT K.  
SYSTEMATIC AND APPLIED ACAROLOGY, vol.25, no.8, pp.1395-1420, 2020 (SCI-Expanded)
- XIII. **Two new records of predatory mites (Acari: Phytoseiidae) in Bosnia and Herzegovina**  
DÖKER İ., KARUT K., MARCIC D., KAZAK C.  
INTERNATIONAL JOURNAL OF ACAROLOGY, vol.45, pp.399-403, 2019 (SCI-Expanded)
- XIV. **The genus Graminaseius Chant & McMurtry (Acari: Phytoseiidae) in Turkey with descriptions of two new species and re-description of Graminaseius graminis (Chant)**  
DÖKER İ., KAZAK C., KARUT K.  
SYSTEMATIC AND APPLIED ACAROLOGY, vol.24, no.5, pp.731-741, 2019 (SCI-Expanded)

- XV. **Non-target effects of five acaricides on a native population of *Amblyseius swirskii* (Acari: Phytoseiidae)**  
DÖKER İ., KAZAK C.  
INTERNATIONAL JOURNAL OF ACAROLOGY, vol.45, pp.69-74, 2019 (SCI-Expanded)
- XVI. **Acaricide resistance in *Tetranychus urticae* red form (Acari: Tetranychidae) collected from strawberry in southern Turkey: Bioassay and biochemical studies**  
Yalçın K., DÖKER İ., KAZAK C.  
SYSTEMATIC AND APPLIED ACAROLOGY, vol.23, no.12, pp.2279-2287, 2018 (SCI-Expanded)
- XVII. **Internal Transcribed Spacer (ITS) sequences of some *Kampimodromus* (Acari: Phytoseiidae) species: Is *Kampimodromus ragusai* a valid species or a synonym of *Kampimodromus aberrans*?**  
DÖKER İ., KARUT K., KARACA M. M., Cargnus E., KAZAK C.  
SYSTEMATIC AND APPLIED ACAROLOGY, vol.23, no.11, pp.2237-2243, 2018 (SCI-Expanded)
- XVIII. **Potential of single and combined releases of *Eretmocerus mundus* and *Macrolophus melanotoma* to suppress *Bemisia tabaci* in protected eggplant**  
KARUT K., KAZAK C., DÖKER İ.  
BIOLOGICAL CONTROL, vol.126, pp.1-6, 2018 (SCI-Expanded)
- XIX. ***Cunaxa capreolus* (Berlese, 1889), (Acari: Prostigmata: Cunaxidae): A new record for predatory mite fauna of Turkey**  
DÖKER İ., Stathakis T. I., KAZAK C.  
NORTH-WESTERN JOURNAL OF ZOOLOGY, vol.13, no.2, pp.360-362, 2017 (SCI-Expanded)
- XX. **Analysis of Species, Subgroups, and Endosymbionts of *Bemisia tabaci* (Hemiptera: Aleyrodidae) From Southwestern Cotton Fields in Turkey**  
KARUT K., KARACA M. M., DÖKER İ., KAZAK C.  
ENVIRONMENTAL ENTOMOLOGY, vol.46, no.4, pp.1035-1040, 2017 (SCI-Expanded)
- XXI. **First record of invasive tomato spider mite *Tetranychus evansi* (Acari: Tetranychidae) in Turkey**  
KAZAK C., DÖKER İ., KARUT K.  
INTERNATIONAL JOURNAL OF ACAROLOGY, vol.43, no.4, pp.325-328, 2017 (SCI-Expanded)
- XXII. **Three new species of the family Phytoseiidae (Acari: Mesostigmata) from Turkey**  
DÖKER İ., KAZAK C., KARUT K.  
ZOOTAXA, vol.4243, no.3, pp.565-576, 2017 (SCI-Expanded)
- XXIII. **Two new records of the genus *Kampimodromus* Nesbitt (Acari: Phytoseiidae) for Turkey with a revised key to the World species**  
DÖKER İ., KAZAK C., KARACA M. M., KARUT K.  
ACAROLOGIA, vol.57, no.2, pp.355-363, 2017 (SCI-Expanded)
- XXIV. **Functional response and fecundity of a native *Neoseiulus californicus* population to *Tetranychus urticae* (Acari: Phytoseiidae, Tetranychidae) at extreme humidity conditions**  
DÖKER İ., KAZAK C., KARUT K.  
SYSTEMATIC AND APPLIED ACAROLOGY, vol.21, no.11, pp.1463-1472, 2016 (SCI-Expanded)
- XXV. **Functional response and fecundity of a native *Neoseiulus californicus* population to *Tetranychus urticae* (Acari: Phytoseiidae, Tetranychidae) at extreme humidity conditions**  
DÖKER İ., KAZAK C., KARUT K.  
SYSTEMATIC AND APPLIED ACAROLOGY, vol.21, no.11, pp.1463-1472, 2016 (SCI-Expanded)
- XXVI. **Contributions to the Phytoseiidae (Acari: Mesostigmata) fauna of Turkey: morphological variations, twelve new records, re-description of some species and a revised key to the Turkish species**  
DÖKER İ., KAZAK C., KARUT K.  
SYSTEMATIC AND APPLIED ACAROLOGY, vol.21, no.4, pp.505-527, 2016 (SCI-Expanded)
- XXVII. **Contributions to the Phytoseiidae (Acari: Mesostigmata) fauna of Turkey: morphological variations, twelve new records, re-description of some species and a revised key to the Turkish species**  
DÖKER İ., KAZAK C., KARUT K.  
SYSTEMATIC AND APPLIED ACAROLOGY, vol.21, no.4, pp.505-527, 2016 (SCI-Expanded)
- XXVIII. **Contributions to the Phytoseiidae (Acari: Mesostigmata) fauna of Turkey: morphological variations,**

- twelve new records, re-description of some species and a revised key to the Turkish species**  
DÖKER İ., KAZAK C., KARUT K.  
SYSTEMATIC AND APPLIED ACAROLOGY, vol.21, no.4, pp.505-527, 2016 (SCI-Expanded)
- XXIX. **Important Pests in Vegetable Crops**  
KAZAK C., KARUT K., DÖKER İ.  
HANDBOOK OF VEGETABLE PRESERVATION AND PROCESSING, 2ND EDITION, pp.113-135, 2016 (SCI-Expanded)
- XXX. **Efficacy of Eretmocerus mundus (Hymenoptera: Aphelinidae) and Macrolophus melanotoma against Bemisia tabaci (Hemiptera: Miridae, Aleyrodidae) in protected tomato**  
KARUT K., KAZAK C., DÖKER İ., Malik A. A. Y.  
TURKIYE ENTOMOLOJİ DERGİSİ-TURKISH JOURNAL OF ENTOMOLOGY, vol.40, no.1, pp.87-96, 2016 (SCI-Expanded)
- XXXI. **Functional response and fecundity of a native Neoseiulus californicus population to Tetranychus urticae (Acari: Phytoseiidae, Tetranychidae) at extreme humidity conditions**  
DÖKER İ., KAZAK C., KARUT K.  
SYSTEMATIC AND APPLIED ACAROLOGY, vol.21, no.11, pp.1463-1472, 2016 (SCI-Expanded)
- XXXII. **Compatibility of reduced-risk insecticides with the non-target predatory mite Iphiseius degenerans (Acari: Phytoseiidae)**  
Doker İ., Pappas M. L., Samaras K., Triantafyllou A., KAZAK C., Broufas G. D.  
PEST MANAGEMENT SCIENCE, vol.71, no.9, pp.1267-1273, 2015 (SCI-Expanded)
- XXXIII. **Indigenous populations of Neoseiulus californicus and Phytoseiulus persimilis (Acari: Phytoseiidae): single and combined releases against Tetranychus urticae (Acari: Tetranychidae) on greenhouse eggplant**  
KAZAK C., KARUT K., DÖKER İ.  
INTERNATIONAL JOURNAL OF ACAROLOGY, vol.41, no.2, pp.108-114, 2015 (SCI-Expanded)
- XXXIV. **A new species and two new records of the family Phytoseiidae (Acari: Mesostigmata) from Turkey**  
DÖKER İ., KAZAK C., KARUT K.  
ZOOTAXA, vol.3918, no.3, pp.439-445, 2015 (SCI-Expanded)
- XXXV. **A new record for Bemisia tabaci (Gennadius) (Hemiptera: Aleyrodidae) species complex of Turkey**  
KARUT K., Kaydan M. B., Tok B., DÖKER İ., KAZAK C.  
JOURNAL OF APPLIED ENTOMOLOGY, vol.139, pp.158-160, 2015 (SCI-Expanded)
- XXXVI. **EUSEIUS GALLICUS KREITER AND TIXIER (ACARI: PHYTOSEIIDAE) IS PRESENT IN FOUR MORE COUNTRIES IN EUROPE: BELGIUM, GERMANY, THE NETHERLANDS AND TURKEY**  
DÖKER İ., Witters J., Pijnakker J., Kazak C., Tixier M., Kreiter S.  
ACAROLOGIA, vol.54, no.3, pp.245-248, 2014 (SCI-Expanded)
- XXXVII. **Four new records and two new species of Phytoseiidae (Acari: Mesostigmata) from Turkey, with a key to the Turkish species**  
Döker İ., Stathakis T. I., KAZAK C., KARUT K., Papadoulis G. T.  
ZOOTAXA, vol.3827, no.3, pp.331-342, 2014 (SCI-Expanded)
- XXXVIII. **Study on species composition of Bemisia tabaci (Gennadius, 1889) (Hemiptera: Aleyrodidae) on cotton in Cukurova plain, Turkey**  
KARUT K., KAYDAN M. B., CASTLE S. J., KAZAK C., ULUSOY M. R.  
TURKIYE ENTOMOLOJİ DERGİSİ-TURKISH JOURNAL OF ENTOMOLOGY, vol.38, no.1, pp.43-50, 2014 (SCI-Expanded)
- XXXIX. **First record of Amblyseius bryophilus Karg (Acari: Phytoseiidae) for the Turkish fauna**  
DÖKER İ., Stathakis T. I., KAZAK C.  
TURKISH JOURNAL OF ZOOLOGY, vol.38, no.3, pp.375-377, 2014 (SCI-Expanded)
- XL. **Detecting acaricide resistance in Turkish populations of Panonychus citri McGregor (Acari: Tetranychidae)**  
Doker İ., Kazak C.  
SYSTEMATIC AND APPLIED ACAROLOGY, vol.17, no.4, pp.368-377, 2012 (SCI-Expanded)
- XLI. **Determination of biotypes of Bemisia tabaci (Gennadius 1889) (Hemiptera: Aleyrodidae) on**

**different host plant in Adana (Balcali) by using two different molecular methods**

KARUT K., MALIK A. A. Y., KAZAK C., KAMBEROĞLU M. A., ULUSOY M. R.

TURKIYE ENTOMOLOJİ DERGİSİ-TURKISH JOURNAL OF ENTOMOLOGY, vol.36, no.1, pp.93-100, 2012 (SCI-Expanded)

- XLII. **Pest status and prevalence of Tomato moth *Tuta absoluta* (Meyrick 1917) (Lepidoptera: Gelechiidae) in tomato growing greenhouses of Mersin**  
KARUT K., KAZAK C., DÖKER İ., ULUSOY M. R.  
TURKIYE ENTOMOLOJİ DERGİSİ-TURKISH JOURNAL OF ENTOMOLOGY, vol.35, no.2, pp.339-347, 2011 (SCI-Expanded)
- XLIII. **Selecting Indicator Species Habitat Description and Sustainable Land Utilization: A Case Study in a Mediterranean Delta**  
Aydin G., KAZAK C.  
INTERNATIONAL JOURNAL OF AGRICULTURE AND BIOLOGY, vol.12, no.6, pp.931-934, 2010 (SCI-Expanded)
- XLIV. **The development, predation, and reproduction of *Phytoseiulus persimilis* athias-henriot (Acari : Phytoseiidae) from Hatay fed *Tetranychus Cinnabarinus boisduval* (Acari : Tetranychidae) larvae and protonymphs at different temperatures**  
Kazak C.  
TURKISH JOURNAL OF ZOOLOGY, vol.32, no.4, pp.407-413, 2008 (SCI-Expanded)
- XLV. **Population parameters of *Tetranychus cinnabarinus boisduval* (Prostigmata : Tetranychidae) on eight strawberry cultivars**  
KAZAK C., Kibritci C.  
TURKISH JOURNAL OF AGRICULTURE AND FORESTRY, vol.32, no.1, pp.19-27, 2008 (SCI-Expanded)
- XLVI. **Monitoring adult *Eretmocerus mundus*, *Encarsia lutea* and *Bemisia tabaci* with yellow sticky traps in cotton *Gossypium hirsutum***  
Karut K., Kazak C.  
JOURNAL OF APPLIED ENTOMOLOGY, vol.131, no.8, pp.553-558, 2007 (SCI-Expanded)
- XLVII. **Determination of Seasonal Activity of the Sweetpotato Whitefly (Homoptera: Aleyrodidae) and Leafhoppers (Homoptera: Cicadellidae) by Plastic Cup Traps on the Cukurova Plain, Turkey**  
KAZAK C., KARUT K.  
PLANT PRODUCTION SCIENCE, vol.41, no.1, pp.8-13, 2005 (SCI-Expanded)
- XLVIII. **Influence of variable photoperiods on the feeding activity and fecundity of *Galendromus occidentalis* (Nesbitt) (Acari : Phytoseiidae) under laboratory conditions**  
Kazak C., Cone W., Wright L.  
JOURNAL OF PEST SCIENCE, vol.77, no.3, pp.131-135, 2004 (SCI-Expanded)
- XLIX. **Natural parasitism of *Chrysoperla carnea* by hymenopterous parasitoids in cotton-growing areas of Cukurova, Turkey**  
Karut K., Kazak C., Arslan A., Sekeroglu E.  
PHYTOPARASITICA, vol.31, no.1, pp.90-93, 2003 (SCI-Expanded)
- L. **Biological characteristics and life tables of *Neoseiulus umbraticus* Chant (Acari, Phytoseiidae) at three constant temperatures**  
Kazak C., Yildiz S., Sekeroglu E.  
ANZEIGER FÜR SCHADLINGSKUNDE-JOURNAL OF PEST SCIENCE, vol.75, no.5, pp.118-121, 2002 (SCI-Expanded)
- LI. **The potential of the Hatay population of *Phytoseiulus persimilis* to control the carmine spider mite *Tetranychus cinnabarinus* in strawberry in Silifke Icel, Turkey**  
Kazak C., Karut K., Kasap İ., Kibritci C., Sekeroglu E.  
PHYTOPARASITICA, vol.30, no.5, pp.451-458, 2002 (SCI-Expanded)
- LII. **Population Dynamics of Naturally Occurring *Phytoseiulus persimilis* (Acari: Phytoseiidae) Colonizing Beans (*Phaseolus vulgaris* cv. Sari) Infested by Spider Mites, *Tetranychus cinnabarinus* (Acari: Tetranychidae), in Turkey**  
KAZAK C.  
SYSTEMATIC AND APPLIED ACAROLOGY, vol.6, no.1, pp.19-25, 2001 (SCI-Expanded)

- LIII. **Phytoseiulus persimilis Athias Henriot Acarina Phytoseiidae in laboratuvar koşullarında yaşam çizelgesi**  
KAZAK C., KARACA İ., Karaat Ş., Şekeroğlu E.  
Türkiye Entomoloji Dergisi, vol.13, no.2, pp.103-108, 1989 (SCI-Expanded)

### Articles Published in Other Journals

- I. **Population Developments Depending on Different Trap Colors and Cicadellidae (Hemiptera) Species in Field Tomatoes in Milas (Muğla)**  
TÜRKMEN Y. M., BAŞPINAR H., KAZAK C.  
Çukurova Tarım ve Gıda bilimleri dergisi (Online), vol.38, no.1, pp.87-95, 2023 (Peer-Reviewed Journal)
- II. **Effects of Some Tomato Cultivars on Population Densities of Immature Stages of Tuta absoluta in Milas (Muğla) Field Conditions**  
Kazak C., Türkmen Y. M.  
Çukurova Tarım ve Gıda bilimleri dergisi (Online), vol.36, no.1, pp.149-156, 2021 (Peer-Reviewed Journal)
- III. **Bazı biyoroşyonel insektisitlerin tarla koşullarında Tuta absoluta'nın ergin öncesi dönemleri ile verime etkileri**  
Kazak C., Türkmen Y. M.  
Türkiye Biyolojik Mücadele Dergisi, vol.11, no.2, pp.217-229, 2020 (Peer-Reviewed Journal)
- IV. **Re-discovery and identification of Iphiseius degenerans (Acari: Phytoseiidae) based on morphological and molecular data in Turkey**  
DÖKER İ., KAZAK C., KARACA M. M., KARUT K.  
Türkiye Biyolojik Mücadele Dergisi, vol.9, no.2, pp.110-123, 2018 (Peer-Reviewed Journal)
- V. **Re-discovery and identification of Iphiseius degenerans (Acari: Phytoseiidae) in Turkey, based on morphological and molecular data**  
DÖKER İ., KAZAK C., KARACA M. M., KARUT K.  
Turkish Journal of Biological Control, vol.9, no.2, pp.110-123, 2018 (Peer-Reviewed Journal)
- VI. **Effects of six different pesticides used in citrus production on the predatory mite Iphiseius degenerans (Berlese) (Acari: Phytoseiidae)**  
DÖKER İ., ÖZ H., Kaya H. Y., KAZAK C.  
TÜRKİYE BİYOLOJİK MÜCADELE DERGİSİ, vol.7, no.1, pp.43-54, 2016 (Peer-Reviewed Journal)
- VII. **Turunçgil üretiminde kullanılan altı farklı pestisitinin avcı akar Iphiseius degenerans Berlese Acari Phytoseiidae a etkileri**  
DÖKER İ., ÖZ H., KAYA H. Y., KAZAK C.  
Türkiye Biyolojik Mücadele Dergisi, vol.7, no.1, pp.43-54, 2016 (Peer-Reviewed Journal)
- VIII. **Türkiye için yeni bir nar zararlısı; Nar yassı akarı, Tenuipalpus punicae Pirtchard and Baker(Acari: Tenuipalpidae)**  
DÖKER İ., KAZAK C., KARUT K.  
Türkiye Entomoloji Bülteni, vol.3, no.2, pp.113-117, 2013 (Peer-Reviewed Journal)
- IX. **Avcı böcek Orius albidipennis Reuter Hemiptera Anthocoridae in Laboratuvar Koşullarında Bazı Biyolojik Özellikleri**  
KAZAK C., BÜYÜK M.  
Türkiye Biyolojik Mücadele Dergisi, vol.1, no.2, pp.109-117, 2010 (Peer-Reviewed Journal)
- X. **Teoriden pratiğe zararlılarla biyolojik mücadele**  
Kılınçer N., YİĞİT A., KAZAK C., ER M. K., Kurtuluş A., Uygun N.  
Türkiye Biyolojik Mücadele Dergisi, vol.1, no.1, pp.15-60, 2010 (Peer-Reviewed Journal)
- XI. **Frankliniella occidentalis capture on blue and yellow sticlqy trapstreated with floral compound mixture thrips attractant (Thrips-Lure)in greenhouses**  
KAZAK C., KARUT K., arslan a., Chu C.  
IOBC/WPRS Bulletin, vol.49, pp.167, 2009 (Peer-Reviewed Journal)

- XII. **Avcı akar *Typhlodromips Amblyseius enab* El Badry Acari Phytoseiidae in farklı sıcaklıklarda biyolojilerinin belirlenmesi**  
Işık B., KAZAK C.  
Fen ve Müh. Bilimleri Dergisi, vol.18, no.3, pp.130-139, 2008 (Peer-Reviewed Journal)
- XIII. **Çukurova Deltası (Adana) biyotoplarında böceklerin farklı insan aktivitelerine biyolojik gösterge olarak kullanılma olanakları\***  
KAZAK C.  
Türkiye Entomoloji Dergisi, vol.31, no.2, pp.111-128, 2007 (Peer-Reviewed Journal)
- XIV. **Determination of biology of predatory mite *Typhlodromips Amblyseius enab* El Badry Acari Phytoseiidae at different temperatures**  
Kibritçi C., KAZAK C., KARUT K.  
Turkiye Entomoloji Dergisi-Turkish Journal Of Entomology, vol.31, no.2, pp.129-138, 2007 (Peer-Reviewed Journal)
- XV. **Akdeniz bölgesinde yeni bir hurma ağacı *Phoenix dactylifera* L zararlısı *Rynchophorus ferrugineus* Olivier Coleoptera Curculionidae**  
KARUT K., KAZAK C.  
Türkiye Entomoloji Dergisi, vol.29, no.4, pp.295-300, 2005 (Peer-Reviewed Journal)
- XVI. **A new pest of date palm trees *Phoenix dactylifera* L *Rynchophorus ferrugineus* Olivier 1790 Coleoptera Curculionidae in Mediterranean region of Turkey**  
KARUT K., KAZAK C.  
Turkiye Entomoloji Dergisi-Turkish Journal Of Entomology, vol.29, no.4, pp.295-300, 2005 (Peer-Reviewed Journal)
- XVII. **Population Development of *Tetranychus cinnabarinus* Boisd. (Acarina: Tetranychidae) on Various Strawberry Cultivars Under Greenhouse Conditions in Adana-Turkey**  
KAZAK C.  
Phytophaga, vol.14, pp.533-539, 2004 (Peer-Reviewed Journal)
- XVIII. **The population dynamics and predation of Hatay strain of *Phytoseiulus persimilis* Athias-Henriot (Acari: Phytoseiidae) on the prey *Tetranychus cinnabarinus* Boisduval (Acari: Tetranychidae) effects of different initial prey and predator ratios on greenhouse cucumbers.**  
KAZAK C., KARUT K., Şekeroğlu E.  
IOBC/WPRS, vol.23, no.1, pp.195-200, 2000 (Peer-Reviewed Journal)
- XIX. **Biological control of Thrips *tabaci* Lindeman Thysanoptera Thripidae by *Amblyseius cucumeris* Oudemans Acarina Phytoseiidae on greenhouse cucumber in Adana Turkey**  
KAZAK C., KARUT K., Yıldız S., Sekeroğlu E.  
PROCEEDINGS OF THE IIIRD INTERNATIONAL SYMPOSIUM ON CUCURBITS, vol.492, pp.169-174, 1998 (Scopus)
- XX. **Population growth and compatibility of *Phytoseiulus persimilis* Athias Heriot and *Amblyseius bibens* Blommers Acari Phytoseiidae feeding on *Tetranychus cinnabarinus* Boisd Acari Tetranychidae under laboratory conditions**  
KAZAK C., Aslan M. M.  
Türkiye Entomoloji Dergisi, vol.22, no.2, pp.83-92, 1998 (Peer-Reviewed Journal)
- XXI. **The Vertical Distribution of Mites and Aphids on Hops in South Central Washington During the Summer of 1993**  
KAZAK C.  
J. Entomol. Soc. Brit. Columbia, vol.92, no.1, pp.91-95, 1995 (Peer-Reviewed Journal)

## **Books & Book Chapters**

### **I. Important Pests in Vegetable Crops**

KAZAK C.

in: Handbook of Vegetable Preservation and Processing, Second Edition, Hui Y H. Evranuz E Ö, Editor, Crc Press

Taylor, Florida, Boca Raton, pp.113-135, 2015

**II. Important Pests in Vegetable Crops**

KAZAK C., KARUT K., DÖKER İ.

in: Handbook of Vegetable Preservation and Processing, Hui Y H. Evranuz E Ö, Editor, CRC Press Taylor Francis, Florida, pp.113-135, 2015

**III. Important Pests in Vegetable Crops**

KAZAK C., KARUT K., DÖKER İ.

in: Handbook of Vegetable Preservation and Processing, Hui Y.H.& Evranuz E.Ö., Editor, CRC Press, pp.113-129, 2015

## **Refereed Congress / Symposium Publications in Proceedings**

- I. **Notes on the genus *Amblyseius* Berlese (Acari: Phytoseiidae) of Turkey: taxonomical and biological aspects**  
DÖKER İ., KAZAK C., KARUT K.  
7th Meeting of IOBC WG: "Integrated Control of Plant-Feeding Mites", Viyana, Austria, 16 - 19 September 2019, pp.1
- II. **Functional response of *Iphiseius degenerans* (Acari: Phytoseiidae) to *Eutetranychus orientalis* (Acari: Tetranychidae), a new pest of citrus in Eastern-Mediterranean, Turkey**  
DÖKER İ., yalcin k., KARUT K., KAZAK C.  
7TH IOBC MEETING OF THE WORKING GROUP Integrated Control of Plant-Feeding Mites, Viyana, Austria, 16 - 19 September 2019
- III. **A close look to the genus *Graminaseius* Chant & McMurtry (Acari: Phytoseiidae) in Turkey; description of two new species and re-description of *Graminaseius graminis* (Chant)**  
DÖKER İ., KAZAK C., KARUT K.  
7th Meeting of IOBC WG: "Integrated Control of Plant-Feeding Mites", Viyana, Austria, 16 - 19 September 2019, pp.1
- IV. **Study on the Effects of Some Pesticides Used on Cotton in the Natural Conditions to the Predatory Insect *Orius* Species (Hemiptera: Anthocoridae).**  
BÜYÜK M., KAZAK C.  
International Engineering and Natural Sciences Conference (IENSC 2018, Diyarbakır, Turkey, 14 - 17 November 2018, pp.21
- V. **Resistance status of *Panonychus citri* (Acari: Tetranychidae) to abamectin and pyridaben collected from Eastern Mediterranean, Turkey**  
DÖKER İ., KAZAK C., AY R.  
XVth International Congress of Acarology, 2 - 08 September 2018
- VI. **Insecticide effect of olivemill wastewater against two greenhouse pests: *Bemisia tabaci* and *Aphis gossypii* under controlled conditions**  
KAZAK C., KARUT K., DÖKER İ., KARACA M. M.  
14th meeting of the IOBC-WPRS Working Group "Integrated Control in Protected Crops, Mediterranean Climate", Lisbon, Portugal, 4 - 07 September 2018, pp.1
- VII. **Efficacy of stored *Macrolophus melanotoma* on biological control of *Bemisia tabaci* in greenhouse condition**  
KARUT K., KAZAK C., DÖKER İ., KARACA M. M.  
14th meeting of the IOBC-WPRS Working Group "Integrated Control in Protected Crops, Mediterranean Climate", Lisbon, Portugal, 4 - 07 September 2018, pp.1
- VIII. **Efficacy of stored *Macrolophus melanotoma* on biological control of *Bemisia tabaci* in greenhouse conditions**  
KARUT K., KAZAK C., DÖKER İ., KARACA M. M.  
Integrated Control in Protected Crops, Mediterranean Climate, Lizbon, Portugal, 4 - 07 September 2018, pp.36

- IX. **Insecticide effect of olivemill wastewater against two greenhouse pests: Bemisia tabaci and Aphis gossypii under controlled conditions**  
KAZAK C., KARUT K., DÖKER İ., KARACA M. M.  
14th meeting of the IOBC-WPRS Working Group "Integrated Control in Protected Crops, Mediterranean Climate", Lisbon, Portugal, 4 - 07 September 2018, pp.1
- X. **Internal transcribed spacer (ITS) sequences of some Kampimodromus (Acari: Phytoseiidae) populations: species status validation of Kampimodromus ragusai**  
DÖKER İ., KARUT K., KARACA M. M., Cargnus E., KAZAK C.  
XVth International Congress of Acarology, Antalya, Turkey, 2 - 08 September 2018, pp.254
- XI. **Phytoseiid mites (Acari: Phytoseiidae) of Turkey: From past to present**  
DÖKER İ., KAZAK C., KARUT K.  
XVth International Congress of Acarology, Antalya, Turkey, 2 - 08 September 2018, pp.177
- XII. **Cannibalism and intraguild interactions between an exotic predator, Amblyseius swirskii, and three other phytoseiids occurring in papaya orchards in southern Florida**  
DÖKER İ., KAZAK C., Carrillo D.  
XV International Congress of Acarology, Antalya, Turkey, 2 - 08 September 2018
- XIII. **Cannibalism and intraguild interactions between an exotic predator Amblyseius swirskii, and three other phytoseiids occurred in papaya orchards in southern Florida**  
DÖKER İ., KAZAK C., Carrillo D.  
XVth International Congress of Acarology, Antalya, Turkey, 2 - 08 September 2018, pp.43
- XIV. **Acaricidal effect of olive mill waste water against Tetranychus cinnabarinus Boisduval (Acari: Tetranychidae) under laboratory conditions.**  
KAZAK C., KARUT K., DÖKER İ.  
VIII International Agriculture Symposium "AGROSYM 2017", 5 - 08 October 2017
- XV. **COLD-STORAGE POSSIBILITIES OF WHITEFLY PARASITOID ERETMO CERUS MUNDUS (HYMENOPTERA: APHELINIDAE) PUPAE**  
KARUT K., KAZAK C., KARACA M. M., DÖKER İ.  
VIII International Scientific Agriculture Symposium "AGROSYM 2017", Jahorina, Bosnia And Herzegovina, 4 - 08 October 2017, pp.586
- XVI. **ACARICIDAL EFFECT OF OLIVE MILL WASTE WATER AGAINST TETRANCYHUS CINNABARINUS BOISDUVAL (ACARI: TETRANCYHIDAE) UNDER LABORATORY CONDITIONS**  
KAZAK C., KARUT K., DÖKER İ.  
VIII International Scientific Agriculture Symposium "AGROSYM 2017", Jahorina, Bosnia And Herzegovina, 4 - 08 October 2017, pp.587
- XVII. **ITS sequences of the predatory mites; Iphiseius degenerans (Berlese) and Phytoseius ibrahimi Döker & Kazak (Acari: Phytoseiidae).**  
DÖKER İ., KAZAK C., KARACA M. M., KARUT K.  
6th Meeting of the IOBC Working Group Integrated Control of Plant Feeding Mites, Chania, Greece, 4 - 07 September 2017, pp.18
- XVIII. **Detecting acaricide resistance in Tetranychus urticae (Acari: Tetranychidae) collected from strawberry fields in Silifke, Turkey.**  
Yalçın K., DÖKER İ., KAZAK C.  
6th Meeting of the IOBC Working Group Integrated Control of Plant Feeding Mites, Chania, Greece, 4 - 07 September 2017, pp.19
- XIX. **Acaricide resistance status of Panonychus citri (Acari: Tetranychidae) collected from citrus orchards in Adana, Turkey.**  
DÖKER İ., KAZAK C., Ay R.  
6th Meeting of the IOBC Working Group Integrated Control of Plant Feeding Mites, Chania, Greece, 4 - 07 September 2017, pp.23
- XX. **Phytonemus pallidus (Acari: Tarsonemidae): A new potential pest in strawberry production and associated phytoseiid predators (Acari: Mesostigmata) in Silifke, Turkey.**

DÖKER İ., Yalçın K., KARUT K., KAZAK C.

6th Meeting of the IOBC Working Group Integrated Control of Plant Feeding Mites, Chania, Greece, 4 - 07 September 2017, pp.18

- XXI. **ITS sequences of the predatory mites *Iphiseius degenerans* (Berlese) and *Phytoseius ibrahimi***  
DÖKER İ., KAZAK C., KARACA M. M., KARUT K.  
6th Meeting of the IOBC Working Group Integrated Control of Plant Feeding Mites, Chania, Greece, 4 - 07 September 2017
- XXII. **Frankliniella occidentalis Üzerinde Beslenen Amblyseius swirskii ve Iphiseius degenerans'ın Yerel Popülasyonlarının Besin Tüketim ve Üreme Gücü**  
Yalçın K., DÖKER İ., KAZAK C.  
Uluslararası Katılımlı Türkiye VI. Bitki Koruma Kongresi, Konya, Turkey, 5 - 08 September 2016, pp.267
- XXIII. **Avcı Akar Amblyseius swirskii'nin İkincil Endosimbiontlar ile Bulaşık Bemisia tabaci (B Biyotip) ve Typha latifolia Poleni Üzerinde Bazı Biyolojik Özellikleri**  
KARACA M. M., DÖKER İ., KARUT K., KAZAK C.  
Uluslararası Katılımlı Türkiye VI. Bitki Koruma Kongresi, Konya, Turkey, 5 - 08 September 2016, pp.266
- XXIV. **Farklı Pamuk Alanlarından Toplanan Bemisia tabaci (Gennadius) (Hemiptera:Aleyrodidae) Populasyonlarının Biyotip Yapısı ve İkincil Endosimbiontlarının Belirlenmesi**  
KARUT K., DÖKER İ., Karaca M., KAZAK C.  
Uluslararası Katılımlı Türkiye VI. Bitki Koruma Kongresi, Konya, Turkey, 5 - 08 September 2016, pp.208
- XXV. **Some biological characteristics of the predatory mite Amblyseius swirskii on Bemisia tabaci B Biotype infected with secondary endosymbionts and Typha latifolia pollen**  
KARACA M. M., DÖKER İ., KARUT K., KAZAK C.  
Uluslararası Katılımlı Türkiye VI. Bitki Koruma Kongresi, Konya, Turkey, 5 - 08 September 2016
- XXVI. **Işık Yayan Diyot İle Desteklenmiş Farklı Renk Yapışkan Tuzakların Önemli Sera Zararlılarını Çekme Özellikleri**  
Arslan A., KAZAK C.  
Uluslararası Katılımlı Türkiye VI. Bitki Koruma Kongresi, Konya, Turkey, 5 - 08 September 2016, vol.1, pp.178
- XXVII. **Determination of Biotype Status and Secondary Endosymbionts of Bemisia tabaci Gennadius Hemiptera Aleyrodidae Samples Collected from Different Cotton Growing Locations**  
KARUT K., DÖKER İ., KARACA M. M., KAZAK C.  
Uluslararası Katılımlı Türkiye VI. Bitki Koruma Kongresi, Konya, Turkey, 5 - 08 September 2016
- XXVIII. **Turunçgil Üretiminde Kullanılan Bazı Akarisitlerin Avcı Akar Euseius scutalis Acari Phytoseiidae in Farklı Biyolojik Dönemleri Üzerine Etkileri**  
DÖKER İ., KAZAK C.  
Uluslararası Katılımlı Türkiye VI. Bitki Koruma Kongresi, Konya, Turkey, 5 - 08 September 2016, vol.1, pp.242
- XXIX. **Comments on the identity of Kampimodromus ragusai Swirski & Amitai, (Acari: Phytoseiidae)**  
DÖKER İ., KAZAK C., KARUT K.  
10. 8th Symposium of the EUROpean Association of ACarologists, Valencia, Spain, 11 - 15 July 2016, pp.1
- XXX. **Acute and lethal effects of some pesticides to the native population of Amblyseius swirskii (Acari: Phytoseiidae) collected from a commercial citrus orchard**  
DÖKER İ., KAZAK C.  
10. 8th Symposium of the EUROpean Association of ACarologists, Valencia, Spain, 11 - 15 July 2016, pp.1
- XXXI. **Abundance of the phytoseiid (Acari: Mesostigmata) mites in citrus ecosystems in Adana Province, Turkey.**  
KAZAK C., DÖKER İ., KARUT K.  
10. 8th Symposium of the EUROpean Association of ACarologists, Valencia, Spain, 11 - 15 July 2016, pp.1
- XXXII. **Phytoseiid mite species (Acari: Mesostigmata) of Turkey from cultivated and uncultivated plants**  
DÖKER İ., KAZAK C., KARUT K.  
IOBC-APRS Working Group "Predatory Mites as Biological Control Agents", 1st International Workshop, Beijing, China, 16 - 19 May 2016, pp.35
- XXXIII. **Greenhouse performance of cold-stored indigenous population of Phytoseiulus persimilis (Acari:**

**Phytoseiidae) against Tetranychus urticae (Tetranychidae) in two host plants species**

KAZAK C., KARUT K., DÖKER İ.

IOBC-APRS Working Group "Predatory Mites as Biological Control Agents", 1st International Workshop, Beijing, China, 16 - 19 May 2016, pp.29

**XXXIV. Single and Combined Releases of Eretmocerus mundus and Macrolophus melanotoma against Bemisia tabaci in protected-eggplant**

KARUT K., KAZAK C., DÖKER İ.

9th meeting of IOBC Working Group: Integrated Control in Protected Crops, Mediterranean Climate, Rehovot, Israel, 11 - 15 October 2015, pp.22

**XXXV. Biyolojik mücadelede son gelişmeler**

nedim u., Elekçioğlu İ. H., ULUSOY M. R., KAZAK C., AYSAN Y., UYGUR S., KARUT K., SATAR S., GÖZEL U., Karacaoğlu M.

Türkiye Ziraat Mühendisliği VII. Teknik Kongresi, Turkey, 12 - 16 January 2015, pp.727-745

**XXXVI. Single and Combined Releases of Eretmocerus mundus and Macrolophus melanotoma against Bemisia tabaci in protected eggplant Rehovot ISRAIL 11 15 Ekim 2015 pp 22 22**

KARUT K., KAZAK C., DÖKER İ.

9th meeting of IOBC Working Group: Integrated Control in Protected Crops, Mediterranean Climate, 11 - 15 January 2015, pp.22

**XXXVII. Neoseiulus californicus McGregor'un Aydınçık Popülasyonunun (İçel) Üç Farklı Konukçu Bitkide Tetranychus cinnabarinus Boisdual Yumurtaları Üzerinde İşlevsel ve Sayısal Tepkileri**

KAZAK C., DÖKER İ., KARUT K.

Türkiye V. Bitki Koruma Kongresi, Antalya, Turkey, 3 - 05 February 2014

**XXXVIII. Neoseiulus californicus McGregor'un Aydınçık popülasyonunun (İçel) üç farklı konukçu bitkide Tetranychus cinnabarinus Boisdual yumurtaları üzerinde işlevsel ve sayısal tepkileri**

KAZAK C., DÖKER İ., KARUT K.

Türkiye V. Bitki Koruma Kongresi, Antalya, Turkey, 3 - 05 February 2014, pp.345

**XXXIX. Neoseiulus californicus McGregor'un Aydınçık (İçel) Popülasyonunun Farklı Nem Düzeylerinde Tetranychus cinnabarinus Boisdual Üzerinde Bazı Biyolojik Özellikleri**

DÖKER İ., KAZAK C., KARUT K.

Türkiye V. Bitki Koruma Kongresi, Antalya, Turkey, 3 - 05 February 2014

**XL. Mersin İli Seralarından Toplanan Bemisia tabaci Gennadius (Hemiptera: Aleyrodidae) Populasyonlarının Biyotip Kompozisyonunun Belirlenmesi**

KARUT K., Tok B., DÖKER İ., KAYDAN M. B., KAZAK C.

Türkiye V. Bitki Koruma Kongresi, Antalya, Turkey, 3 - 05 February 2014

**XLI. Neoseiulus californicus McGregor'un Aydınçık (İçel) popülasyonunun farklı nem düzeylerinde Tetranychus cinnabarinus Boisdual Üzerinde bazı biyolojik özellikleri. Türkiye V. Bitki Koruma Kongresi**

DÖKER İ., KAZAK C., KARUT K.

Türkiye V. Bitki Koruma Kongresi, Antalya, Turkey, 3 - 05 February 2014, pp.303

**XLII. Çukurova Bölgesi Turunçgil Bahçelerinde Yaygın Olarak Kullanılan Pestsitlerin Avcı Akar Iphiseius degenerans Berlese (Acari: Phytoseiidae)'a Etkileri**

DÖKER İ., Öz H., Kaya H. Y., KAZAK C.

Türkiye V. Bitki Koruma Kongresi, Antalya, Turkey, 3 - 05 February 2014

**XLIII. Çukurova Bölgesi turunçgil bahçelerinde yaygın olarak kullanılan pestsitlerin avcı akar Iphiseius degenerans (Acari: Phytoseiidae)'a etkileri.**

DÖKER İ., Öz H., Kaya H., KAZAK C.

Türkiye V. Bitki Koruma Kongresi, Antalya, Turkey, 3 - 05 February 2014, pp.347

**XLIV. Mersin ili seralarından toplanan Bemisia tabaci Gennadius (Hemiptera: Aleyrodidae) populasyonlarının biyotip kompozisyonunun belirlenmesi.**

KARUT K., Tok B., DÖKER İ., KAYDAN B., KAZAK C.

Türkiye V. Bitki Koruma Kongresi, Antalya, Turkey, 3 - 05 February 2014, pp.25

- XLV. **Laboratory assessment of the toxic effects of seven insecticides to the predatory mite *Iphiseius degenerans* (Acari: Phytoseiidae).**  
Triantafyllou A., DÖKER İ., Samaras K., KAZAK C., Pappas M. L., Broufas G. D.  
15th National Entomological Congress of Greece, Kavala, Greece, 22 - 25 October 2013, pp.117
- XLVI. **Toxicity of seven new insecticides on different developmental stages of *Iphiseius degenerans* (Acari: Phytoseiidae).**  
DÖKER İ., Triantafyllou A., Samaras K., KAZAK C., Pappas M. L., Broufas G. D.  
4th Meeting of the IOBC Working Group Integrated Control of Plant Feeding Mites, Paphos, Cyprus (Gkry), 9 - 12 September 2013, pp.12
- XLVII. **Study on biotype composition of *Bemisia tabaci* (Gennadius) (Hemiptera: Aleyrodidae) on cotton in Çukurova Plain, Turkey.**  
KARUT K., KAYDAN B., CASTLE S. J., KAZAK C., ULUSOY M. R.  
First International Whitefly Symposium, Kolymbari, Greece, 20 - 25 May 2013, pp.137
- XLVIII. **Natural parasitism of *Bemisia tabaci* (Hemiptera: Aleyrodidae) by native Aphelinidae (Hymenoptera) parasitoids in tomato greenhouses in Mersin, Turkey**  
KARUT K., KAZAK C., DÖKER İ., Malik A.  
Integrated Control in Protected Crops, Mediterranean Climate, Catania, Italy, 9 - 12 October 2012, pp.69-74
- XLIX. **Avcı Akar *Neoseiulus californicus* McGregor'un Sabit Sıcaklık ve Farklı Nem Düzeylerinde *Tetranychus cinnabarinus* Boisd. Yumurtaları Üzerinde İşlevsel ve Sayısal Tepkiler**  
DÖKER İ., KAZAK C., KARUT K.  
Türkiye IV. Bitki Koruma Kongresi, Kahramanmaraş, Turkey, 28 - 30 June 2011, pp.126
- L. **Avcı akar *Neoseiulus californicus* McGregor'un sabit sıcaklık ve farklı nem düzeylerinde *Tetranychus cinnabarinus* Boisd. yumurtaları üzerinde işlevsel ve sayısal tepkileri.**  
DÖKER İ., KAZAK C., KARUT K.  
Türkiye IV. Bitki Koruma Kongresi, Kahramanmaraş, Turkey, 28 - 30 June 2011, pp.126
- LI. ***Frankliniella occidentalis* capture on blue and yellow sticky traps treated with floral compound mixture thrips attractant (Thrips-Lure) in greenhouses. Integrated control in protected crops**  
KAZAK C., KARUT K., CHANG CHI C., ASLAN A.  
Integrated Control in Protected Crops, Mediterranean Climate, Creteil, France, 6 - 11 October 2009, vol.49, pp.167-170
- LII. ***Frankliniella occidentalis* capture on blue and yellow sticky traps treated with floral compound mixture thrips attractant Thrips Lure in greenhouses**  
KAZAK C., KARUT K., Chu C., Arslan A.  
IOBC/WPRS Working Group "Integrated Control in Protected Crops, 6 - 11 September 2009, vol.49, pp.167-170
- LIII. **Evaluating the effects of five strawberry cultivars on the biology of *Tetranychus cinnabarinus* Boisd. Acari Tetranychidae using detached leaves in greenhouse conditions**  
KAZAK C., KARUT K., Kibritçi C., Şekeroğlu E.  
IOBC\WPRS Working Group 'Integrated Control in Protected Crops, Mediterranean Climate', 30 November - 04 December 2003, vol.26, pp.73-77
- LIV. **Yüksek tünelde yetiştirilen patlıcan çeşitlerinde bazı zararlılara karşı salınan doğal düşmanların etkinliği.**  
KAZAK C., KARUT K., KASAP İ., Şekeroğlu E.  
Türkiye IV. Entomoloji Kongresi, Turkey, 12 - 15 September 2000
- LV. **IPM for Cotton in the Çukurova Region of Turkey**  
Şekeroğlu E., Özgür A. F., KAZAK C., KARUT K.  
The Inter-regional Cooperative Research Network on Cotton. A joint Workshop and Meeting of the Working Groups, 20 - 24 September 2000, vol.1, pp.163-173
- LVI. **The population dynamics and predation of Hatay strain of *Phytoseiulus persimilis* Athias Henriot Acari Phytoseiidae on the prey *Tetranychus cinnabarinus* Boisd. Acari Tetranychidae effects of different initial prey and predator ratios on greenhouse cucumbers**  
KAZAK C., KARUT K., Şekeroğlu E.

IOBC/WPRS Working Group "Integrated Control in Protected Crops, Mediterranean Climate, 24 - 26 April 2000, vol.23, pp.195-200

- LVII. Zakkum Bitkilerinden Toplanan Chrysoperla carnea (Stephens) (Neuroptera: Chrysopidae) Yumurtalarının Açılma, Parazitlenme ve Doğal Ölüm Oranlarının Belirlenmesi**  
KARUT K., KAZAK C.  
Türkiye IV. Biyolojik Mücadele Kongresi, Adana, Turkey, 26 - 29 January 1999, vol.1, pp.269-276
- LVIII. Zakkum (Nerium oleander L) bitkilerinden toplanan Chrysoperla carnea (Stephens) yumurtalarının doğal ölüm, açılma ve parazitlenme oranlarının belirlenmesi**  
KARUT K., KAZAK C.  
Türkiye iv. Biyolojik Mücadele Kongresi, Turkey, 26 - 29 January 1999
- LIX. Spatial distribution of preimaginal Bemisia tabaci (Homoptera: Aleyrodidae) in cotton**  
Şekeroğlu E., KARUT K., Yıldız S., KAZAK C.  
World Cotton Research Conference 2, Turkey, 6 - 12 September 1998, pp.644-647
- LX. Biological control of Polyphagotarsonemus latus (Acarina, Tarsonemidae) using the predatory mite, Typhlodromus athiasae (Acarina, Phytoseiidae) in greenhouse**  
KARUT K., KASAP İ., KAZAK C., Yıldız S., Şekeroğlu E.  
The 6th European Congress of Entomology, Ceske Budejovice (Czech Republic), 23 - 29 August 1998
- LXI. Studies on the Control of Tetranychus cinnabarinus Boisduval Acarina Tetranychidae by Use a Vacuum Machine on Strawberries Under Laboratory Conditions**  
BAYAT A., KAZAK C., KARACA İ.  
AgEng Oslo 98: International Conference on Agricultural Engineering, 24 - 27 August 1998, pp.701-702
- LXII. Biological Control of Polyphagotarsenomus latus Acarina Tarsonemidae Using the Predatory Mite Typhlodromus athiasae Acarina Phytoseiidae in Greenhouses**  
KARUT K., KASAP İ., KAZAK C., yıldız s., sekeroglu e.  
The VIth European Congress of Entomology, 23 - 29 August 1998, vol.1, pp.562
- LXIII. Pest status of Frankliniella occidentalis Thysanoptera Thripidae on strawberries**  
Şekeroğlu E., KAZAK C., KARUT K., ASLAN M. M.  
Sixth International Symposium on Thysanoptera, 27 April - 01 May 1998, pp.139-144
- LXIV. Studies on the Control of Tetranychus cinnabarinus Boisd. (Acarina:Tetranychidae) by Use a Vacuum Machine on Strawberries underLaboratory Conditions**  
BAYAT A., KAZAK C., KARACA İ.  
AgEng OSLO'xx98, 21 - 23 March 1998
- LXV. Pest Status of Frankliniella occidentalis Tysanoptera Thripidae on Strawberries**  
Şekeroğlu E., KAZAK C., KARUT K., Aslan M. M.  
VI. International Symposium on Tysanoptera, Antalya, Turkey, 27 April - 01 May 1998, vol.1, pp.139-144
- LXVI. Biological, control of Thrips tabaci Lindeman (Thysanoptera : Thripidae) by Amblyseius cucumeris (Oudemans) (Acarina : Phytoseiidae) on greenhouse cucumber in Adana, Turkey**  
Kazak C., Karut K., Yildiz S., Sekeroglu E.  
1st International Symposium on Cucurbits, Adana, Turkey, 20 - 23 May 1997, pp.169-174
- LXVII. Biological Control of Tetranychus cinnabarinus by Phytoseiulus persimilis on Greenhouse Grown Cucumber**  
KAZAK C., Çölkesen T., KARUT K., Şekeroğlu E.  
OBC/WPRS Working Group "Integrated Control in Protected Crops, Mediterranean Climate", 3 - 06 November 1997, vol.20, pp.215-220
- LXVIII. Biological control of Tetranychus cinnabarinus by Phytoseiulus persimilis on greenhouse cultivars**  
KAZAK C., Çölkesen T., KARUT K., Şekeroğlu E.  
Integrated control in protected crops, Mediterranean climate, 3 - 06 November 1997, vol.20, pp.215-220
- LXIX. GAP Alanında Zirai Mücadele Politikasına Esas Teşkil Edecek Zararlı ve Yararlıların Saptanması**  
UYGUN N., BAŞPINAR H., ŞEKEROĞLU E., KORNOŞOR S., ÖZGÜR A. F., KARACA İ., ULUSOY M. R., KAZAK C.  
GAP Bölgesi Bitki Koruma Sorunları ve Çözüm Önerileri Sempozyumu, Şanlıurfa, Turkey, 27 - 29 April 1995
- LXX. Bromopropylate Uygulanmış Serada Domates Üzerinde Tetranychus cinnabarinus Boisd. (Acarina:**

**Tetranychidae)?a Karşı Avcı Akar Phytoseiulus persimilis A-H ve Amblyseius longispinosus Evans (Acarina: Phytoseiidae)?un Etkinliđi ve Bemisia tabaci?nin Populasyon Gelişimi**

KAZAK C.

International Symposium on Integrated Pest Management, İzmir, Turkey, 15 - 17 October 1992, vol.1, no.1, pp.137-144

**LXXI. Avcı akar Phytoseiulus persimilis'in sera koşullarında çilek üzerinde Tetranychus cinnabarinus'a karşı etkinliđi. -**

KAZAK C., Çölkesen T., Zaman K., Şekerođlu E.

Türkiye II. Entomoloji Kongresi, İzmir, Turkey, 28 - 31 January 1992, vol.5, pp.145-147

## Other Publications

### I. Phytoseiidae (Acari: Mesostigmata)

DÖKER İ., Yalçın K., KAZAK C.

Other, pp.20, 2015

## Supported Projects

KAZAK C., Özçelik B., Project Supported by Higher Education Institutions, Adana ilinde Yerfistđi Yetiştiriciđinde Sorun Olan Fitofag Akar Türleri, Zzarar Durumları ve Yaygınlıklarının Belirlenmesi, 2019 - 2022

DÖKER İ., KAZAK C., KARUT K., Yalçın K., Project Supported by Higher Education Institutions, Avcı Akar Iphiseius degenerans Berlese'nin Turunçgil Kahverengi Akarı Eutetranychus orientalis Klein'in Farklı Biyolojik Dönemlerine Karşı İşlevsel ve Sayısal Tepkilerinin Belirlenmesi, 2019 - 2021

KAZAK C., Türkmen Y. M., Project Supported by Higher Education Institutions, Domates Yaprak Galeri Güvesi Tuta absoluta (Meyrick) (Lepidoptera: Gelechiidae)'nin Milas (Muđla) Tarla Koşullarında Biyo-Ekolojik Özellikleri, 2014 - 2020

KARUT K., KAZAK C., DÖKER İ., MALİK A. A. Y., Project Supported by Higher Education Institutions, Sera domatesi yetiştiriciliđinde Eretmocerus mundus Hymenoptera Aphelinidae ve Macrolophus melanotomanın Bemisia tabaci Hemiptera Miridae Aleyrodidae'ye karşı etkinlikleri, 2017 - 2019

KAZAK C., Project Supported by Higher Education Institutions, Contributions to the Phytoseiidae Acari Mesostigmata fauna of Turkey morphological variations twelve new records redescription of some species and a revised key to the Turkish species, 2017 - 2019

KAZAK C., DÖKER İ., KARUT K., Project Supported by Higher Education Institutions, Functional response and fecundity of a native Neoseiulus californicus population to Tetranychus urticae Acari Phytoseiidae Tetranychidae at extreme humidity conditions, 2017 - 2018

KAZAK C., Project Supported by Higher Education Institutions, Indigenous populations of Neoseiulus californicus and Phytoseiulus persimilis Acari Phytoseiidae single and combined releases against Tetranychus urticae Acari Tetranychidae on greenhouse eggplant, 2015 - 2018

KAZAK C., Project Supported by Higher Education Institutions, Compatibility of reduced risk insecticides with the nontarget predatory mite Iphiseius degenerans Acari Phytoseiidae, 2015 - 2018

KARUT K., KAZAK C., DÖKER İ., KARACA M. M., Project Supported by Higher Education Institutions, COLDSTORAGE POSSIBILITIES OF WHITEFLY PARASITOID ERETMO CERUS MUNDUS HYMENOPTERA APHELINIDAE PUPAE, 2017 - 2017

KARUT K., KAZAK C., DÖKER İ., Project Supported by Higher Education Institutions, Kazak C Karut K Döker İ 2015. Important Pests in Vegetable Crops in Handbook of Vegetable Preservation and Processing Hui YH Evranuz EÖ Eds CRC Taylor Florida Boca Raton pp113-135, 2016 - 2017

KARUT K., KAZAK C., DÖKER İ., Project Supported by Higher Education Institutions, Phytoseiidae Acari Mesostigmata familyası türlerinin peritrem yapısı kullanılarak yapılan morfolojik tanısının moleküler yöntemler ile desteklenmesi, 2015 - 2017

KAZAK C., Project Supported by Higher Education Institutions, A new species and two new records of the family

Phytoseiidae Acari Mesostigmata from Turkey, 2015 - 2017

KARUT K., Tok B., KAZAK C., ULUSOY M. R., KAYDAN B., CASTLE S. J., Project Supported by Higher Education Institutions, 1 Study on species composition of Bemisia tabaci Gennadius1889 Hemiptera Aleyrodidae on cotton in Çukurova Plain Turkey 2 Secondary endosymbionts of Turkish Bemisia tabaci Gennadius populations, 2015 - 2017

KAZAK C., TÜBİTAK Project, Organik tarımda yerel girdi kullanımının geliştirilmesi, 2013 - 2017

KAZAK C., DÖKER İ., KARUT K., Project Supported by Higher Education Institutions, Greenhouse performance of cold-stored indigenous population of Phytoseiulus persimilis (Acari: Phytoseiidae) against Tetranychus urticae (Tetranychidae) in two host plants species, 2016 - 2016

KAZAK C., STATHAKIS T. I., PAPADOULIS G. T., KARUT K., Project Supported by Higher Education Institutions, Four new records and two new species of Phytoseiidae (Acari: Mesostigmata) from Turkey, with a key to the Turkish species, 2014 - 2016

KAZAK C., Project Supported by Higher Education Institutions, Uluslararası Yayınları Özendirme Desteği (1 Adet), 2013 - 2016

KAZAK C., Project Supported by Higher Education Institutions, Adana İlinde Turunçgil Yetiştirilen Alanlarda Bulunan Avcı Akar Türlerinin (Acari: Phytoseiidae ) Saptanması, 2013 - 2016

## Activities in Scientific Journals

Türkiye Entomoloji Dergisi, Publication Committee Member, 2013 - Continues

Türkiye Biyolojik Mücadele Dergisi, Publication Committee Member, 2012 - Continues

## Memberships / Tasks in Scientific Organizations

Entomological Society of America, Member, 2015 - Continues

Systematic and Applied Acarology, Member, 2000 - Continues

## Scientific Refereeing

Open Life Sciences, Journal Indexed in SCI-E, September 2023

OPEN CHEMISTRY, Journal Indexed in SCI-E, September 2023

SYSTEMATIC AND APPLIED ACAROLGY, Journal Indexed in SCI-E, July 2023

ACAROLOGIA, Journal Indexed in SCI-E, June 2023

INTERNATIONAL JOURNAL OF PEST MANAGEMENT, Journal Indexed in SCI-E, May 2023

Journal of Crop Protection, Journal Indexed in SCI-E, April 2023

AGRICULTURE, Journal Indexed in SSCI, April 2023

BIOCONTROL SCIENCE AND TECHNOLOGY, Journal Indexed in SCI-E, March 2023

## Metrics

Publication: 154

Citation (WoS): 262

Citation (Scopus): 266

H-Index (WoS): 10

H-Index (Scopus): 10

## Non Academic Experience

